

DS Implants™

DS OmniTaper[™] Surgical product catalog



All Dentsply Sirona Instructions for Use are available on www.dentsplysirona.com/ifu

All products may not be regulatory cleared/released/licensed in all markets. Please contact the local Dentsply Sirona sales office for current product assortment and availability.

To improve readability for our customers, Dentsply Sirona does not use ® or ™ in body copy. However, Dentsply Sirona does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.

Product illustrations are not to scale.

CONTENTS

1. Implant packaging	4
Color coding.	4
2. Implants	5
3. Cover Screw	6
4. TempBase Cap	6
5. Healing abutments	6
6. Instruments	9
Initial drills	9
Drills	9
Taps	10
Implant drivers	11
Planning aids	12
Torque Wrench	13
Driver	13
Surgical Trays	14
Washtray & Overlay	16
Sterilization Container & Reusable Filter	17
7. Guided Surgery Instruments	18
Punch	18
Drills	18
Taps	20
Sleeves	21
Driver	21
Sleeves for Driver	21
Stabilization Abutment	22
Positioning Aid	22
Surgical Trays	22
8. Material specifications	25
9. Index	26

1. Implant packaging

DS OmniTaper implants are supplied in a double-blister package with an outer carton.



Outer box

- Specific color coding, diameter and prominent implant length information on side labels
- Data matrix code on two sides
- Stackable, with all important product information visible
- Instructions For Use (IFU) available electronically (eIFU): ifu.dentsplysirona.com



Outer blister

 Peel-off label with batch code for convenience treatment documentation



Inner blister

- Inner sterile package
- Implant shuttle with implant and cover screw
- Peel-off label with batch code for convenience treatment documentation

Color coding

The DS OmniTaper implant is available in five diameters and six lengths. The color coding makes it easy to identify the correct connection and to select the right prosthetic components.

Implant Ø	3.0mm	3.4mm	3.8mm	4.5mm	5.5mm
Connections	xs	S	M	L	XL
Lengths	-	-	8mm	8mm	8mm
	-	9.5mm	9.5mm	9.5mm	9.5mm
	11mm	11mm	11mm	11mm	11mm
	13mm	13mm	13mm	13mm	13mm
	15mm	15mm	15mm	15mm	15mm
	-	18mm	18mm	18mm	-

2. Implants












OmniTaper EV implant

Titanium¹, Titanium alloy², sterile

The DS OmniTaper implant is designed for replacing one or more missing teeth in order to restore chewing function.

- Endosseous section with OsseoSpeed surface
- Compatible with EV Prosthetics assortment
- Restoration: Various possibilities for type of fixation e.g., screw-, cement-, friction- and attachment-retained solutions. For one-position-only, sixposition and non-indexed abutments
- Clinical use: one-stage or two-stage surgical procedures
- Premounted multifunctional TempBase that serves as a placement head, index impression and basis for temporary restorations
- Color coded
- Contains: Implant, Placement head (TempBase), Cover Screw
- Instruments needed: Implant Driver
 TempBase or optional Implant Driver EV



3. Cover Screw

Cover Screw EV

Titanium alloy², sterile

The Cover Screw is used for sealing the implant interface.

- Clinical use: two-stage surgical procedures
- Color coded

Cover Screw EV



4. TempBase Cap

TempBase Cap

Polypropylene", non-sterile

The TempBase Cap is used for index registration during surgery and basis for temporary restorations.

TempBase Cap




5. Healing abutments

HealDesign™ EV

Titanium alloy², sterile

The HealDesign EV is used for soft tissue sculpturing during the healing phase.

- Marked with diameter and height
- Clinical use: one-stage or two-stage surgical procedure
- Round shapes are indicated for all positions in the mouth
- Triangular shapes for anterior implant sites to mimic the incisors and canines
- Triangular HealDesign EV is a two-piece abutment
- Color coded



xs HealDesign EV

	0	0	0	0
Ø mm	3.5	3.5	3.5	3.5
Height mm	2.5	3.5	4.5	6.5
Order No.	68013001	68013002	68013003	68013004

s HealDesign EV


					V				V		
	0	0	0	0	0	0	0	0	0	0	Δ
Ø mm	4	4	4	4	5	5	5	5	6	6	5
Height mm	2.5	3.5	4.5	6.5	2.5	3.5	4.5	6.5	3.5	4.5	3.5
Order No.	68013005	68013006	68013007	68013008	68013009	68013010	68013011	68013012	68013013	68013014	68013039

M HealDesign EV

									101	
	0	0	0	0	0	0	0	0	Δ	Δ
Ø mm	5	5	5	5	6.5	6.5	6.5	6.5	5	6.5
Height mm	2.5	3.5	4.5	6.5	2.5	3.5	4.5	6.5	3.5	3.5
Order No.	68013015	68013016	68013017	68013018	68013019	68013020	68013021	68013022	68013040	68013041

HealDesign EV

											\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	YAY.
	0	0	0	0	0	0	0	0	0	0	Δ	Δ
Ø mm	5	5	5	5	6.5	6.5	6.5	6.5	7.5	7.5	5	6.5
Height mm	2.5	3.5	4.5	6.5	2.5	3.5	4.5	6.5	3.5	4.5	3.5	3.5
Order No.	68013023	68013024	68013025	68013026	68013027	68013028	68013029	68013030	68013031	68013032	68013042	68013043




Healing Abutment EV

Titanium alloy², sterile

The Healing Abutment EV is used for soft tissue sculpturing.

- Laser-etched bands for gauging
- Marked with diameter
- Color coded





xs Healing Abutment EV

Ø mm	4	4	4	4
Height mm	2	3	4	6
Order No.	68013044	68013045	68013046	68013047

s Healing Abutment EV

			W	W.
Ø mm	4	4	4	4
Height mm	2	3	4	6
Order No.	68013048	68013049	68013050	68013051

M Healing Abutment EV

Ø mm	4	4	4	4
Height mm	2	3	4	6
Order No.	68013052	68013053	68013054	68013055

Healing Abutment EV



XL Healing Abutment EV



6. Instruments



All drills except the Precision Drill can be used for maximum ten cases. They should be carefully cleaned and sterilized after each surgery and replaced as soon as a decrease in their cutting efficiency is observed.

Initial drills

Guide Drill

Stainless steel³, sterile

The Guide Drill is used for marking and to create a starting point.

Multiple use

Precision Drill


Stainless steel³, sterile

The Precision Drill is used for marking and to create a starting point.

■ Single use

The Precision Drill is an extremely sharp drill and should be handled with caution to avoid injury.

OmniTaper Drill short



Drills


OmniTaper Drill


Stainless steel³, TiN-coated⁴, sterile

The OmniTaper Drill is used for implant site preparation.

- Two-edged profile
- Multiple use
- Depth marked
- Color coded

OmniTaper Drill long





The effective drill depth matches the implant length.


OmniTaper Single Patient Drill

Stainless steel³, ABS⁹, sterile

The OmniTaper Single Patient Drill is used for implant site preparation.

- Single use
- Depth marked
- Color coded
- Available in short L 8-15mm

OmniTaper Single Patient Drill



OmniTaper Crestal Drill

Stainless steel³, TiN-coated⁴, sterile

The OmniTaper Crestal Drill is used for crestal implant site preparation according to the bone quality once the planned implant diameter has been reached.

- Multiple use
- Depth marked
- Color coded



OmniTaper Crestal Drill



Taps

OmniTaper Tap

Stainless steel³, sterile


The OmniTaper Tap is used for additional tapping in cortical bone (D I).

- Multiple use
- Color coded
- Instruments needed:
 contra-angle with HXSS
 connection or torque
 wrench with surgical
 driver handle

 Preparation depths:
 15mm
 13mm
 11mm
 9.5mm
 8mm

6mm

OmniTaper Tap







Implant Driver TempBase O-Ring



Implant Driver EV short



Implant Driver EV long



Implant drivers

Implant Driver TempBase

Stainless steel³, EPDM¹³, non-sterile

The Implant Driver TempBase is used for installing OmniTaper implants with the TempBase (standard procedure).

- Dimple to facilitate correct positioning
- Applicable for all implant diameters
- Available in short/long
- Multiple use
- Instruments needed: contra-angle with HXSS connection or torque wrench with surgical driver handle

Implant Driver TempBase O-Ring (spare part)

EPDM¹³, non-sterile

The Implant Driver TempBase O-Ring is used as spare part for Implant Driver TempBase.

Multiple use

Implant Driver EV

Stainless steel³, PEEK6, non-sterile

The Implant Driver EV is used for installing the implant without using the TempBase EV.

- Multiple use
- Depth marked
- Color coded
- Instruments needed: contra-angle with HXSS connection or torque wrench with surgical driver handle

The Implant Driver EV is not the standard driver for OmniTaper implants.


Planning aids

OmniTaper Direction Indicator


Titanium¹², non-sterile

The OmniTaper Direction Indicator is used for visualizing the position and direction of the prepared osteotomy and for measuring the space between osteotomies.

■ Multiple use



OmniTaper Direction Indicator




OmniTaper Try-In Implants

Titanium alloy², non-sterile

The OmniTaper Direction Indicator is used for intra-operative check of implant position, implant axis, congruency between implant and bone crest, and peri-implant soft tissue level.

- Design matches the DS OmniTaper implant
- Measure the thickness of the soft tissue
- Applicable for all implant lengths
- Multiple use
- Color coded



OmniTaper Try-In Implants



Instrument Extender

Stainless steel³, non-sterile

The Instrument Extender is used for extending the length of a drill, a tap or the Implant Driver.

■ Multiple use

Instrument Extender



OmniTaper Depth Gauge

Titanium alloy², non-sterile


The OmniTaper Depth Gauge is used for measuring the implant site before implant installation.

- Multiple use
- One end corresponds to the implant lengths
- One end is a measuring probe with 0-15 mm markings

OmniTaper Depth Gauge



OmniTaper Radiographic Template



Order No.

68015132

Torque Wrench EV



Torque Wrench EV Surgical Driver Handle



Order No.

25775

Torque Wrench EV Restorative Driver Handle





Order No. 25776 25777

OmniTaper Radiographic Template

PC10, non-sterile

The OmniTaper Radiographic Template is a planning tool used prior to implant

- Used together with the X-ray of the patient's jaw
- Magnification range from 1.0 to 1.5 presented in two separate sheets

Torque Wrench

Torque Wrench EV

Stainless steel³, non-sterile

The Torque Wrench is used together with the Surgical Driver Handle or the Restorative Driver Handle for tightening and measuring the torque.

- Used together with the Surgical Driver Handle for implant installation and adjustment
- Used together with the Restorative Driver Handle for tightening abutments and/or bridge screws
- Multiple use

Driver

Torque Wrench EV Surgical Driver Handle

Stainless steel³, non-sterile

The Surgical Driver Handle is used together with the Torque Wrench.

■ Multiple use

Torque Wrench EV Restorative Driver Handle

Stainless steel³, non-sterile

The Restorative Driver Handle is used together with the Torque Wrench.


■ Multiple use

Hex Driver manual

Stainless steel³, non-sterile

The Hex Driver manual is used for tightening screws, and surgical and restorative components.


Hex Driver manual



Hex Driver

Stainless steel³, non-sterile

The Hex Driver is used for tightening screws, and surgical and restorative components.



Surgical Trays

OmniTaper Surgical Tray

PPSU⁷, silicone⁸ holders, non-sterile

The OmniTaper Surgical Tray is used during surgery and storage of OmniTaper surgical instruments.


- Instruments arranged in order of usage
- Two layers for instruments
- Grommet-less solution for easier cleaning
- Colors and icons supporting surgical procedure
- Scannable QR code for further information
- Contains no instruments

Please contact customer service to order OmniTaper Surgical Kit (surgical tray and necessary instruments)


OmniTaper Surgical Tray



	Longth	Width	Haimht
	Length	wiatri	Height
Size mm	138	190	61.5
Order No		68015282	



Lower tray



Washtray & Overlay


OmniTaper Washtray

Stainless steel³, PEEK⁶, silicon⁸, aluminum alloy⁵, non-sterile

The OmniTaper Washtray is used during surgery, for storage, machine cleaning, disinfection and subsequent steam sterilization of OmniTaper surgical instruments.

- Instrument fixation during vertical placement in washer-disinfector
- Colors and icons supporting surgical procedure
- Scannable QR code for further information
- Contains: OmniTaper Washtray and removable OmniTaper Washtray Overlay

OmniTaper Washtray



	Length	Width	Height
Size mm	276	176	59
Order No.		68015271	

OmniTaper Washtray Overlay


Aluminum alloy⁵, non-sterile

The OmniTaper Washtray Overlay is used as a spare part for the OmniTaper Washtray.

Colors and icons supporting surgical procedure

The overlay must be separated from the washtray before cleaning and re-assembled prior to sterilization. For further information, please refer to the Cleaning and sterilization instruction manual.

OmniTaper Washtray Overlay



	00045070
Order No.	68015272

Washtray Sterilization Container



Order No.

68015266

Sterilization Container & Reusable Filter

Washtray Sterilization Container

Aluminum alloy^s, Stainless steel³, PEEK⁶, Silicone⁸,

The Washtray Sterilization container is used for sterilization and storage of washtrays.

The filter needs to be purchased separately

Reusable Filter for Washtray Sterilization Container



Order No.

68015267

Reusable Filter for Washtray Sterilization Container

PTFE¹⁴, non-sterile

The Reusable Filter for Washtray Sterilization container is used as a spare part for Washtray Sterilization container.

- Multiple use
- Contains: 2 Reusable Filters for Washtray Sterilization Container

7. Guided Surgery Instruments

Specific instruments are available for guided implant installation of DS OmniTaper implants. These are marked "GS" (Guided Surgery) and can only be used together with the Simplant SAFE Guide and CEREC Guide 3. When using Simplant software or Simplant planning service, case-specific guided surgery instruments can be ordered with the Simplant SAFE Guide.

Punch

OmniTaper Mucosal Punch GS

The OmniTaper Mucosal Punch GS is used for minimally-invasive exposure of the surgical site.

- Single use
- Marked with diameter
- Color coded

OmniTaper Mucosal Punch GS Ø mm Color codina Order No. 68017018 68017019 68017020 68017021

Drills


OmniTaper Initial Drill GS

Stainless steel³, sterile

The OmniTaper Initial Drill GS is used for creating a starting point for the following drills and removal of soft tissue residue after use of the mucosa punch during guided surgery.

- Multiple use
- Marked with diameter
- Color coded

OmniTaper Initial Drill GS



OmniTaper Drill GS

Stainless steel³, sterile


The OmniTaper Drill GS is used for implant site preparation up to the planned implant diameter.

- Multiple use
- Guided with the sleeve-on-drill
- Marked with diameter
- Color coded


Drill Sleeve is needed and must be ordered separately


Drills, Crestal drill and Tap for guided surgery can only be used with the contra-angle handpiece.


OmniTaper Drill GS




OmniTaper Drill GS







OmniTaper Drill GS



OmniTaper Crestal Drill GS

Stainless steel³, sterile

The OmniTaper Crestal Drill GS is used for crestal implant site preparation according to the bone quality once the planned implant diameter has been reached.

- Multiple use
- Marked with diameter
- Depth marked
- Color coded



OmniTaper Crestal Drill GS



Taps

OmniTaper Tap GS


Stainless steel³, sterile

The OmniTaper Tap GS is used for pre-tapping of the implant threads in cortical bone (D I).

- Multiple use
- Marked with diameter
- Depth marked (no mechanical depth stop)
- Color coded



OmniTaper Tap GS



OmniTaper Drill Sleeve GS narrow diameter

	Ø2.0	Ø3.0	Ø3.4	Ø3.8
Ø mm	2.0	3.0	3.4	3.8
Order No.	68017105	68017113	68017121	68017129

OmniTaper Drill Sleeve GS wide diameter

	Ø2.0	Ø3.0	Ø3.4	Ø3.8	Ø4.5
Ø mm	2.0	3.0	3.4	3.8	4.5
Order No.	68017104	68017112	68017120	68017128	68017136

OmniTaper Implant Driver TempBase GS short



short	ND	WD
Order No.	68017034	68017035

OmniTaper Implant Driver TempBase GS long



OmniTaper Sleeve for Implant Driver TempBase GS



Sleeves

OmniTaper Drill Sleeve GS

Stainless steel³, sterile

OmniTaper Drill Sleeve GS is used for safe guidance of the drills in the surgical guide.

- Single use
- Marked with ND (Narrow Diameter) for Ø3.0 - Ø3.8 implants or WD (Wide Diameter) for Ø4.5 implants

Must be used with the OmniTaper Drill GS

Driver

OmniTaper Implant Driver TempBase GS

Stainless steel³, non-sterile

The OmniTaper Driver TempBase GS is used for installing OmniTaper implants with the TempBase using a contra-angle handpiece or the Torque Wrench.

- Markings on the shaft to align the abutment position and to monitor the rotational speed
- Marked with ND (Narrow Diameter) for implant Ø3.0 - Ø3.8 implants
- Marked with WD (Wide Diameter) for implant Ø4.5mm
- Sleeve is pre-mounted and can be replaced
- Torque: ≤ 50 Ncm
- Multiple use

Sleeves for Driver

OmniTaper Sleeve for Implant Driver TempBase GS

Stainless steel³, non-sterile

The OmniTaper Sleeve for Implant Driver TempBase GS is used as a spare part for the OmniTaper Implant Driver TempBase.

- Multiple use
- Marked with ND (Narrow Diameter) or WD (Wide Diameter)

Stabilization Abutment

OmniTaper Stabilization Abutment GS

Titanium allov², non-sterile

The stablization abutment GS for TempBase prevents lateral movement of the surgical guide between the preparation of different implant sites and the second stabilization abutment GS. It also prevents the distortion of the guide.

- Multiple use
- Narrow diameter (ND) for Ø3.0 - Ø3.8 implants
- Wide diameter (WD) for Ø4.5 implants

OmniTaper Stabilization Abutment GS



Positioning Aid


OmniTaper Positioning Aid EV GS

Titanium alloy², non-sterile

The OmniTaper Positioning Aid EV GS is used to secure implant analogs in the surgical guide in order to transfer the implant position, planned virtually, to a laboratory model (e.g. master cast, plaster cast).

■ Multiple use

OmniTaper Positioning Aid EV GS



Surgical Trays

OmniTaper Surgical Tray GS

PPSU⁷, silicone⁸ holders, non-sterile

The OmniTaper Surgical Tray GS is used during surgery and storage of OmniTaper surgical instruments.

- Two layers for instruments
- Grommet-less solution for easier cleaning
- Colors and icons supporting surgical procedure
- Scannable QR code for further
- Contains no instruments

Please contact customer service to order OmniTaper Surgical Kit GS (surgical tray and necessary instruments)

OmniTaper Surgical Tray GS




	Length	Width	Height
Size mm	138	190	61.5
Order No.		68017203	

Upper tray

OmniTaper Drill GS Ø2.0 x 8mm Order no. 68017106 Ø3.0 x 8mm Order no. 68017114 Ø3.4 x 8mm Order no. 68017122 Ø3.8 x 8mm Order no. 68017130 Ø2.0 x 9.5mm Order no. 68017110 Ø3.0 x 9.5mm Order no. 68017118 Ø3.4 x 9.5mm Order no. 68017126 Ø3.8 x 9.5mm Order no. 68017134 Ø2.0 x 11mm Order no. 68017107 Ø3.0 x 11mm Order no. 68017115 Ø3.4 x 11mm Order no. 68017123 Ø3.8 x 11mm Order no. 68017131 Ø2.0 x 13mm Order no. 68017108 Ø3.0 x 13mm Order no. 68017116 Ø3.8 x 13mm Order no. 68017132 Ø3.4 x 13mm Order no. 68017124 Ø2.0 x 15mm Order no. 68017109 Ø3.0 x 15mm Order no. 68017117 Ø3.4 x 15mm Order no. 68017125 Ø3.8 x 15mm Order no. 68017133 Ø4.5 x 8mm Order no. 68017137 Ø4.5 x 9.5mm Order no. 68017141 Ø4.5 x 11mm Order no. 68017138 Ø4.5 x 13mm Order no. 68017139 DS OmniTaper Ø4.5 x 15mm Order no. 68017140 Guided Surgery OmniTaper Initial Drill GS Ø3.0 Order no. 68017111 Ø3.4 Order no. 68017119 OmniTaper Crestal Drill GS Ø3.8 Order no. 68017127 Ø3.0 Order no. 68017100 Ø4.5 Order no. 68017135 Ø3.4 Order no. 68017101 Ø3.8 Order no. 68017102 OmniTaper Ø4.5 Order no. 68017103 Mucosal Punch GS Ø3.0 Order no. 68017018 Ø3.4 Order no. 68017019 OmniTaper Tap GS Ø3.8 Order no. 68017020 Ø3.0 Order no. 68017014 Ø4.5 Order no. 68017021 Ø3.4 Order no. 68017015 Ø3.8 Order no. 68017016 Ø4.5 Order no. 68017017 Torque Wrench EV Surgical Driver Handle Order no. 25775 OmniTaper Implant Driver TempBase GS Hex Driver ND short Order no. 68017034 20mm Order no. 68015207 WD short Order no. 68017035 24mm Order no. 68015205

Lower tray



ND long Order no. 68017036 WD long Order no. 68017037

OmniTaper Washtray GS

Stainless steel³, PEEK6, silicon8, aluminum alloy5, non-sterile

The OmniTaper Washtray GS is used during surgery and for storage, machine cleaning, disinfection and subsequent steam sterilization of OmniTaper surgical instruments.

- Instrument fixation during vertical placement in washer-disinfector
- Colors and icons supporting surgical procedure
- Scannable QR code for further information
- Contains: OmniTaper Washtray GS and removable OmniTaper Washtray GS Overlay

OmniTaper Washtray GS



	Length	Width	Height
Size mm	276	176	59
Order No.		68015354	

OmniTaper Washtray GS Overlay


Aluminum alloy^s, non-sterile

The OmniTaper Washtray GS Overlay is used as a spare part for the OmniTaper Washtray GS.

Colors and icons supporting surgical procedure

The overlay must be separated from the washtray before cleaning and re-assembled prior to sterilization. For further information, please refer to the Cleaning and sterilization instruction manual.

OmniTaper Washtray GS Overlay



Order No. 68015355

8. Material specifications

Index $^{\scriptscriptstyle \times}$ will be found at material description for specific products.

Metals

Туре	Index	Composition/Designation	Standard
Titanium	1	Ti grade 4	ASTM F67
Titanium alloy	2	Ti6Al4V ELI	ASTM F136
Stainless steel	3	Surgical stainless steel	ASTM F899
TiN Coating	4	Titanium Nitride	
Aluminum alloy	5	AIMg1	
Titanium	12	Ti grade 2	ASTM F67

Plastics

Туре	Index	Composition/Designation	Standard
PEEK	6	Polyetheretherketone	
PPSU	7	Polyphenylsulfone	
Silicone	8	Polysiloxane	
ABS	9	Acrylonitrile butadiene styrene	
PC	10	Polycarbonate	
PP	11	Polypropylene	
EPDM	13	Ethylene propylene diene rubber	
PTFE	14	Polytetrafluoroethylene	

9. Index

By order number

Order No.		page	Order No.		page
25771	Hex Driver 20mm manual	14	68013027	HealDesign EV (L) Ø6.5 2.5mm	7
25772	Hex Driver 31mm manual	14	68013028	HealDesign EV (L) Ø6.5 3.5mm	7
25774	Torque Wrench EV	13	68013029	HealDesign EV (L) Ø6.5 4.5mm	7
25775	Torque Wrench EV Surgical Driver Handle		68013030	HealDesign EV (L) Ø6.5 6.5mm	7
25776	Torque Wrench EV Rest. Driver Handle	13	68013031	HealDesign EV (L) Ø7.5 3.5mm	7
25777	Torque Wrench EV Rest. Driver Handle Low		68013032	HealDesign EV (L) Ø7.5 4.5mm	
68010001	Cover Screw EV (XS)	6	68013033	HealDesign EV (XL) Ø6.5 2.5mm	7
68010002	Cover Screw EV (S)	6	68013034	HealDesign EV (XL) Ø6.5 3.5mm	7
68010005	Cover Screw EV (M)	6	68013035	HealDesign EV (XL) Ø6.5 4.5mm	7
68010006	Cover Screw EV (L)	6	68013036	HealDesign EV (XL) Ø6.5 6.5mm	7
68010007	Cover Screw EV (XL)	6	68013037	HealDesign EV (XL) Ø7.5 3.5mm	7
68010013	TempBase Cap (XS)-(M)	6	68013038	HealDesign EV (XL) Ø7.5 4.5mm	7
68010014	TempBase Cap (L)	6	68013039	HealDesign EV (S) Ø5.0 3.5mm Triangular	7
68010015	TempBase Cap (XL)	6	68013040	HealDesign EV (M) Ø5.0 3.5mm Triangular	7
68011140	OmniTaper EV Ø3.0 x 11mm	5	68013041	HealDesign EV (M) Ø6.5 3.5mm Triangular	7
68011141	OmniTaper EV Ø3.0 x 13mm	5	68013042	HealDesign EV (L) Ø5.0 3.5mm Triangular	7
68011142	OmniTaper EV Ø3.0 x 15mm	5	68013043	HealDesign EV (L) Ø6.5 3.5mm Triangular	7
68011143	OmniTaper EV Ø3.4 x 9.5mm	5	68013044	Healing Abutment EV (XS) 2mm	8
68011144	OmniTaper EV Ø3.4 x 11mm	5	68013045	Healing Abutment EV (XS) 3mm	8
68011145	OmniTaper EV Ø3.4 x 13mm	5	68013046	Healing Abutment EV (XS) 4mm	8
68011146	OmniTaper EV Ø3.4 x 15mm	5	68013047	Healing Abutment EV (XS) 6mm	8
68011147	OmniTaper EV Ø3.4 x 18mm	5	68013048	Healing Abutment EV (S) 2mm	8
68011148	OmniTaper EV Ø3.8 x 8mm	5	68013049	Healing Abutment EV (S) 3mm	8
68011149	OmniTaper EV Ø3.8 x 9.5mm	5	68013050	Healing Abutment EV (S) 4mm	8
68011150	OmniTaper EV Ø3.8 x 11mm	5	68013051	Healing Abutment EV (S) 6mm	8
68011151	OmniTaper EV Ø3.8 x 13mm	5	68013052	Healing Abutment EV (M) 2mm	8
68011152	OmniTaper EV Ø3.8 x 15mm	5	68013053	Healing Abutment EV (M) 3mm	8
68011153	OmniTaper EV Ø3.8 x 18mm	5	68013054	Healing Abutment EV (M) 4mm	8
68011154	OmniTaper EV Ø4.5 x 8mm	5	68013055	Healing Abutment EV (M) 6mm	8
68011155	OmniTaper EV Ø4.5 x 9.5mm	5	68013056	Healing Abutment EV (L) 2mm	8
68011156	OmniTaper EV Ø4.5 x 11mm	5	68013057	Healing Abutment EV (L) 3mm	8
68011157	OmniTaper EV Ø4.5 x 13mm	5	68013058	Healing Abutment EV (L) 4mm	8
68011158	OmniTaper EV Ø4.5 x 15mm	5	68013059	Healing Abutment EV (L) 6mm	8
68011159	OmniTaper EV Ø4.5 x 18mm	5	68013060	Healing Abutment EV (XL) 2mm	
68011160	OmniTaper EV Ø5.5 x 8mm	5	68013061	Healing Abutment EV (XL) 3mm	
68011161	OmniTaper EV Ø5.5 x 9.5mm	5	68013062	Healing Abutment EV (XL) 4mm	8
68011162	OmniTaper EV Ø5.5 x 11mm	5	68013063	Healing Abutment EV (XL) 6mm	8
68011163	OmniTaper EV Ø5.5 x 13mm	5	68015080	OmniTaper Drill SP Ø2.0 short	10
68011164	OmniTaper EV Ø5.5 x 15mm	5	68015081	OmniTaper Drill SP Ø3.0 short	10
68013001	HealDesign EV (XS) Ø3.5 2.5mm	6	68015082	OmniTaper Drill SP Ø3.4 short	10
68013002	HealDesign EV (XS) Ø3.5 3.5mm	6	68015083	OmniTaper Drill SP Ø3.8 short	10
68013003	HealDesign EV (XS) Ø3.5 4.5mm	6	68015084	OmniTaper Drill SP Ø4.5 short	10
68013004	HealDesign EV (XS) Ø3.5 6.5mm	6	68015085	OmniTaper Drill SP Ø5.5 short	10
68013005	HealDesign EV (S) Ø4.0 2.5mm	7	68015086	OmniTaper Drill Ø2.0 long	9
68013006	HealDesign EV (S) Ø4.0 3.5mm	7	68015087	OmniTaper Drill Ø3.0 long	9
68013007	HealDesign EV (S) Ø4.0 4.5mm	7	68015088	OmniTaper Drill Ø3.4 long	9
68013008	HealDesign EV (S) Ø4.0 6.5mm	7	68015089	OmniTaper Drill Ø3.8 long	9
68013009	HealDesign EV (S) Ø5.0 2.5mm		68015090	OmniTaper Drill Ø4.5 long	
68013010	HealDesign EV (S) Ø5.0 3.5mm		68015091	OmniTaper Drill Ø5.5 long	
68013011	HealDesign EV (S) Ø5.0 4.5mm		68015092	OmniTaper Crestal Drill Ø3.0	10
68013012	HealDesign EV (S) Ø5.0 6.5mm		68015093	OmniTaper Crestal Drill Ø3.4	
68013013	HealDesign EV (S) Ø6.0 3.5mm		68015094	OmniTaper Crestal Drill Ø3.8	
68013014	HealDesign EV (S) Ø6.0 4.5mm		68015095	OmniTaper Crestal Drill Ø4.5	
68013015	HealDesign EV (M) Ø5.0 2.5mm		68015096	OmniTaper Crestal Drill Ø5.5	
68013016	HealDesign EV (M) Ø5.0 3.5mm		68015097	OmniTaper Direction Indicator	
68013017	HealDesign EV (M) Ø5.0 4.5mm		68015098	OmniTaper Drill Ø2.0 short	
68013018	HealDesign EV (M) Ø5.0 6.5mm		68015099	OmniTaper Drill Ø3.0 short	
68013019	HealDesign EV (M) Ø6.5 2.5mm		68015100	OmniTaper Drill Ø3.4 short	
68013020	HealDesign EV (M) Ø6.5 3.5mm		68015101	OmniTaper Drill Ø3.4 short	
68013021	HealDesign EV (M) Ø6.5 4.5mm		68015101	OmniTaper Drill Ø4.5 short	
68013022	HealDesign EV (M) Ø6.5 6.5mm		68015103	OmniTaper Drill Ø5.5 short	
68013023	HealDesign EV (L) Ø5.0 2.5mm		68015104	OmniTaper Tap Ø3.0	
68013024	HealDesign EV (L) Ø5.0 3.5mm		68015104	OmniTaper Tap Ø3.4	
68013024	HealDesign EV (L) Ø5.0 4.5mm		68015105	OmniTaper Tap Ø3.8	
				OmniTaper Tap Ø3.8	
68013026	HealDesign EV (L) Ø5.0 6.5mm	/	68015107	Oninitaper tap 94.5	10

Order No.		page
68015108	OmniTaper Tap Ø5.5	10
68015129	Implant Driver TempBase short	11
68015130	Implant Driver TempBase long	11
68015131	Implant Driver TempBase O-Ring	11
68015132	OmniTaper Radiographic Template	13
68015133	Guide Drill	9
68015134	Precision Drill	9
68015187	Implant Driver EV (XS) long	11
68015188	Implant Driver EV (S) short	11
68015189	Implant Driver EV (S) long	11
68015190	Implant Driver EV (M) short	11
68015191	Implant Driver EV (M) long	11
68015192	Implant Driver EV (L) short	11
68015193	Implant Driver EV (L) long	11
68015194	Implant Driver EV (XL) short	11
68015195	Implant Driver EV (XL) long	11
68015197	Instrument Extender	12
68015205	Hex Driver 24mm	14
68015206	Hex Driver 35mm	14
68015207	Hex Driver 20mm	14
68015237	OmniTaper Try-in Implant Ø3.0	12
68015238	OmniTaper Try-in Implant Ø3.4	12
68015239	OmniTaper Try-in Implant Ø3.8	12
68015240	OmniTaper Try-in Implant Ø4.5	12
68015241	OmniTaper Try-in Implant Ø5.5	12
68015266	Washtray Sterilization Container	17
68015267	Washtray Sterilization Container Filter 2x	17
68015271	OmniTaper Washtray	16
68015272	OmniTaper Washtray Overlay	16
68015282	OmniTaper Surgical Tray	14
68015354	OmniTaper Washtray GS	24
68015355	OmniTaper Washtray Overlay GS	24
68015356	OmniTaper Depth Gauge	12
68017014	OmniTaper Tap Ø3.0 GS	20
68017015	OmniTaper Tap Ø3.4 GS	20
68017016	OmniTaper Tap Ø3.8 GS	20
68017017	OmniTaper Tap Ø4.5 GS	20
68017018	OmniTaper Mucosal Punch Ø3.0 GS	18
68017019	OmniTaper Mucosal Punch Ø3.4 GS	18
68017020	OmniTaper Mucosal Punch Ø3.8 GS	18
68017021	OmniTaper Mucosal Punch Ø4.5 GS	18
68017034	OmniTaper Implant Driver TempBase ND short GS	21
68017035	OmniTaper Implant Driver TempBase WD short GS	21
68017036	OmniTaper Implant Driver TempBase ND long GS	21
68017037	OmniTaper Implant Driver TempBase WD long GS	21
68017038	OmniTaper Sleeve for Implant Driver TempBase WD G	
68017039	OmniTaper Sleeve for Implant Driver TempBase ND GS	
68017040	OmniTaper Positioning Aid EV (XS) GS	22

Order No.		page
68017041	OmniTaper Positioning Aid EV (S) GS	22
68017042	OmniTaper Positioning Aid EV (M) GS	
68017043	OmniTaper Stabilization Abutment ND GS	22
68017044	OmniTaper Positioning Aid EV (L) GS	22
68017045	OmniTaper Stabilization Abutment WD GS	22
68017100	OmniTaper Crestal Drill Ø3.0 GS	20
68017101	OmniTaper Crestal Drill Ø3.4 GS	20
68017102	OmniTaper Crestal Drill Ø3.8 GS	20
68017103	OmniTaper Crestal Drill Ø4.5 GS	20
68017104	OmniTaper Drill Sleeve WD for Drill Ø2.0 GS	21
68017105	OmniTaper Drill Sleeve ND for Drill Ø2.0 GS	21
68017106	OmniTaper Drill Ø2.0 x 8mm GS	18
68017107	OmniTaper Drill Ø2.0 x 11mm GS	19
68017108	OmniTaper Drill Ø2.0 x 13mm GS	19
68017109	OmniTaper Drill Ø2.0 x 15mm GS	20
68017110	OmniTaper Drill Ø2.0 x 9.5mm GS	19
68017111	OmniTaper Initial Drill Ø3.0 GS	18
68017112	OmniTaper Drill Sleeve WD for Drill Ø3.0 GS	21
68017113	OmniTaper Drill Sleeve ND for Drill Ø3.0 GS	21
68017114	OmniTaper Drill Ø3.0 x 8mm GS	18
68017115	OmniTaper Drill Ø3.0 x 11mm GS	19
68017116	OmniTaper Drill Ø3.0 x 13mm GS	19
68017117	OmniTaper Drill Ø3.0 x 15mm GS	20
68017118	OmniTaper Drill Ø3.0 x 9.5mm GS	19
68017119	OmniTaper Initial Drill Ø3.4 GS	18
68017120	OmniTaper Drill Sleeve WD for Drill Ø3.4 GS	21
68017121	OmniTaper Drill Sleeve ND for Drill Ø3.4 GS	21
68017122	OmniTaper Drill Ø3.4 x 8mm GS	18
68017123	OmniTaper Drill Ø3.4 x 11mm GS	19
68017124	OmniTaper Drill Ø3.4 x 13mm GS	19
68017125	OmniTaper Drill Ø3.4 x 15mm GS	20
68017126	OmniTaper Drill Ø3.4 x 9.5mm GSGS	19
68017127	OmniTaper Initial Drill Ø3.8 GS	18
68017128	OmniTaper Drill Sleeve WD for Drill Ø3.8 GS	21
68017129	OmniTaper Drill Sleeve ND for Drill Ø3.8 GS	21
68017130	OmniTaper Drill Ø3.8 x 8mm GS	18
68017131	OmniTaper Drill Ø3.8 x 11mm GS	19
68017132	OmniTaper Drill Ø3.8 x 13mm GSGS	19
68017133	OmniTaper Drill Ø3.8 x 15mm GS	20
68017134	OmniTaper Drill Ø3.8 x 9.5mm GS	19
68017135	OmniTaper Initial Drill Ø4.5 GS	18
68017136	OmniTaper Drill Sleeve WD for Drill Ø4.5 GS	21
68017137	OmniTaper Drill Ø4.5 x 8mm GS	18
68017138	OmniTaper Drill Ø4.5 x 11mm GS	19
68017139	OmniTaper Drill Ø4.5 x 13mm GS	19
68017140	OmniTaper Drill Ø4.5 x 15mm GS	20
68017141	OmniTaper Drill Ø4.5 x 9.5mm GS	19
68017203	OmniTaper Surgical Tray GS	22

Alphabetical order

Order No.		page	Order No.		page
68010006	Cover Screw EV (L)	6	68013044	Healing Abutment EV (XS) 2mm	8
68010005	Cover Screw EV (M)	6	68013045	Healing Abutment EV (XS) 3mm	8
68010002	Cover Screw EV (S)	6	68013046	Healing Abutment EV (XS) 4mm	8
68010007	Cover Screw EV (XL)	6	68013047	Healing Abutment EV (XS) 6mm	8
68010001	Cover Screw EV (XS)	6	68015207	Hex Driver 20mm	14
68015133	Guide Drill		25771	Hex Driver 20mm manual	14
68013023	HealDesign EV (L) Ø5.0 2.5mm	7	68015205	Hex Driver 24mm	14
68013024	HealDesign EV (L) Ø5.0 3.5mm	7	25772	Hex Driver 31mm manual	
68013042	HealDesign EV (L) Ø5.0 3.5mm Triangular	7	68015206	Hex Driver 35mm	14
68013025	HealDesign EV (L) Ø5.0 4.5mm	7	68015193	Implant Driver EV (L) long	
68013026	HealDesign EV (L) Ø5.0 6.5mm	7	68015192	Implant Driver EV (L) short	
68013027	HealDesign EV (L) Ø6.5 2.5mm	7	68015191	Implant Driver EV (M) long	
68013028	HealDesign EV (L) Ø6.5 3.5mm	7	68015190	Implant Driver EV (M) short	
68013043	HealDesign EV (L) Ø6.5 3.5mm Triangular	7	68015189	Implant Driver EV (S) long	11
68013029	HealDesign EV (L) Ø6.5 4.5mm	7	68015188	Implant Driver EV (S) short	
68013030	HealDesign EV (L) Ø6.5 6.5mm		68015195	Implant Driver EV (XL) long	
68013031	HealDesign EV (L) Ø7.5 3.5mm		68015194	Implant Driver EV (XL) short	
68013032	HealDesign EV (L) Ø7.5 4.5mm		68015187	Implant Driver EV (XS) long	
68013015	HealDesign EV (M) Ø5.0 2.5mm		68015130	Implant Driver TempBase long	
68013016	HealDesign EV (M) Ø5.0 3.5mm	7	68015131	Implant Driver TempBase O-Ring	
68013040	HealDesign EV (M) Ø5.0 3.5mm Triangular		68015129	Implant Driver TempBase short	
68013017	HealDesign EV (M) Ø5.0 4.5mm		68015197	Instrument Extender	
68013018	HealDesign EV (M) Ø5.0 6.5mm		68015092	OmniTaper Crestal Drill Ø3.0	
68013019	HealDesign EV (M) Ø6.5 2.5mm		68017100	OmniTaper Crestal Drill Ø3.0 GS	
68013020	HealDesign EV (M) Ø6.5 3.5mm		68015093	OmniTaper Crestal Drill Ø3.4	
68013041	HealDesign EV (M) Ø6.5 3.5mm Triangular		68017101	OmniTaper Crestal Drill Ø3.4 GS	
68013021	HealDesign EV (M) Ø6.5 4.5mm		68015094	OmniTaper Crestal Drill Ø3.8	
68013022	HealDesign EV (M) Ø6.5 6.5mm		68017102	OmniTaper Crestal Drill Ø3.8 GS	
68013005	HealDesign EV (S) Ø4.0 2.5mm		68015095	OmniTaper Crestal Drill Ø4.5	
68013006	HealDesign EV (S) Ø4.0 3.5mm		68017103	OmniTaper Crestal Drill Ø4.5 GS	
68013007	HealDesign EV (S) Ø4.0 4.5mm		68015096	OmniTaper Crestal Drill Ø5.5	
68013008	HealDesign EV (S) Ø4.0 6.5mm		68015356	OmniTaper Depth Gauge	
68013009	HealDesign EV (S) Ø5.0 2.5mm		68015097	OmniTaper Direction Indicator	
68013010	HealDesign EV (S) Ø5.0 3.5mm		68015086	OmniTaper Drill Ø2.0 long	
68013039	HealDesign EV (S) Ø5.0 3.5mm Triangular		68015098	OmniTaper Drill Ø2.0 short	
68013011	HealDesign EV (S) Ø5.0 4.5mm		68017106	OmniTaper Drill Ø2.0 x 8mm GS	
68013012	HealDesign EV (S) Ø5.0 6.5mm		68017110	OmniTaper Drill Ø2.0 x 9.5mm GS	
68013013	HealDesign EV (S) Ø6.0 3.5mm		68017107	OmniTaper Drill Ø2.0 x 11mm GS	
68013014	HealDesign EV (XL) Ø6.0 4.5mm		68017108	OmniTaper Drill Ø2.0 x 13mm GS	
68013033	HealDesign EV (XL) Ø6.5 2.5mm		68017109	OmniTaper Drill Ø2.0 x 15mm GS OmniTaper Drill Ø3.0 long	
68013034 68013035	HealDesign EV (XL) Ø6.5 3.5mm		68015087	OmniTaper Drill Ø3.0 short	
68013035	HealDesign EV (XL) Ø6.5 4.5mm		68015099	OmniTaper Drill Ø3.0 x 8mm GS	
68013036	HealDesign EV (XL) Ø6.5 6.5mm HealDesign EV (XL) Ø7.5 3.5mm		68017114 68017118	OmniTaper Drill Ø3.0 x 9.5mm G5	
68013037	HealDesign EV (XL) Ø7.5 4.5mm		68017115	OmniTaper Drill Ø3.0 x 9.511111 G5	
68013038	HealDesign EV (XS) Ø3.5 2.5mm		68017115	OmniTaper Drill Ø3.0 x 13mm GSOmniTaper Drill Ø3.0 x 13mm GS	
				•	
68013002 68013003	HealDesign EV (XS) Ø3.5 3.5mm		68017117 68015088	OmniTaper Drill Ø3.0 x 15mm GS OmniTaper Drill Ø3.4 long	
68013003	HealDesign EV (XS) Ø3.5 4.5mm HealDesign EV (XS) Ø3.5 6.5mm		68015100	OmniTaper Drill Ø3.4 short	
68013056	Healing Abutment EV (L) 2mm		68017122	OmniTaper Drill Ø3.4 x 8mm GS	
68013057	Healing Abutment EV (L) 3mm		68017126	OmniTaper Drill Ø3.4 x 9.5mm GS	
68013058	Healing Abutment EV (L) 4mm		68017123	OmniTaper Drill Ø3.4 x 11mm GS	
68013059	Healing Abutment EV (L) 6mm		68017124	OmniTaper Drill Ø3.4 x 13mm GS	
68013052	Healing Abutment EV (M) 2mm		68017125	OmniTaper Drill Ø3.4 x 15mm GS	
68013053	Healing Abutment EV (M) 3mm		68015089	OmniTaper Drill Ø3.8 long	
68013054	Healing Abutment EV (M) 4mm		68015101	OmniTaper Drill Ø3.8 short	
68013055	Healing Abutment EV (M) 6mm		68017130	OmniTaper Drill Ø3.8 x 8mm GS	
68013048	Healing Abutment EV (S) 2mm		68017134	OmniTaper Drill Ø3.8 x 9.5mm GS	
68013049	Healing Abutment EV (S) 3mm		68017131	OmniTaper Drill Ø3.8 x 11mm GS	
68013050	Healing Abutment EV (S) 4mm		68017132	OmniTaper Drill Ø3.8 x 13mm GS	
68013051	Healing Abutment EV (S) 6mm		68017133	OmniTaper Drill Ø3.8 x 15mm GS	
68013060	Healing Abutment EV (XL) 2mm		68015090	OmniTaper Drill Ø4.5 long	
68013061	Healing Abutment EV (XL) 3mm		68015102	OmniTaper Drill Ø4.5 short	
68013062	Healing Abutment EV (XL) 4mm		68017137	OmniTaper Drill Ø4.5 x 8mm GS	
68013063	Healing Abutment EV (XL) 6mm		68017141	OmniTaper Drill Ø4.5 x 9.5mm GS	
	. ,	-	· -		

Order No.		page	Order No.		page
68017138	OmniTaper Drill Ø4.5 x 11mm GS	19	68017035	OmniTaper Implant Driver TempBase WD short GS	21
68017139	OmniTaper Drill Ø4.5 x 13mm GS	19	68017111	OmniTaper Initial Drill Ø3.0 GS	18
68017140	OmniTaper Drill Ø4.5 x 15mm GS	20	68017119	OmniTaper Initial Drill Ø3.4 GS	18
68015091	OmniTaper Drill Ø5.5 long	9	68017127	OmniTaper Initial Drill Ø3.8 GS	18
68015103	OmniTaper Drill Ø5.5 short	9	68017135	OmniTaper Initial Drill Ø4.5 GS	18
68017105	OmniTaper Drill Sleeve ND for Drill Ø2.0 GS	21	68017018	OmniTaper Mucosal Punch Ø3.0 GS	18
68017113	OmniTaper Drill Sleeve ND for Drill Ø3.0 GS	21	68017019	OmniTaper Mucosal Punch Ø3.4 GS	18
68017121	OmniTaper Drill Sleeve ND for Drill Ø3.4 GS	21	68017020	OmniTaper Mucosal Punch Ø3.8 GS	18
68017129	OmniTaper Drill Sleeve ND for Drill Ø3.8 GS	21	68017021	OmniTaper Mucosal Punch Ø4.5 GS	18
68017104	OmniTaper Drill Sleeve WD for Drill Ø2.0 GS	21	68017044	OmniTaper Positioning Aid EV (L) GS	22
68017112	OmniTaper Drill Sleeve WD for Drill Ø3.0 GS	21	68017042	OmniTaper Positioning Aid EV (M) GS	22
68017120	OmniTaper Drill Sleeve WD for Drill Ø3.4 GS	21	68017041	OmniTaper Positioning Aid EV (S) GS	22
68017128	OmniTaper Drill Sleeve WD for Drill Ø3.8 GS	21	68017040	OmniTaper Positioning Aid EV (XS) GS	22
68017136	OmniTaper Drill Sleeve WD for Drill Ø4.5 GS	21	68015132	OmniTaper Radiographic Template	13
68015080	OmniTaper Drill SP Ø2.0 short	10	68017039	OmniTaper Sleeve for Implant Driver TempBase ND	GS21
68015081	OmniTaper Drill SP Ø3.0 short	10	68017038	OmniTaper Sleeve for Implant Driver TempBase WD	GS21
68015082	OmniTaper Drill SP Ø3.4 short	10	68017043	OmniTaper Stabilization Abutment ND GS	22
68015083	OmniTaper Drill SP Ø3.8 short	10	68017045	OmniTaper Stabilization Abutment WD GS	22
68015084	OmniTaper Drill SP Ø4.5 short	10	68015282	OmniTaper Surgical Tray	14
68015085	OmniTaper Drill SP Ø5.5 short	10	68017203	OmniTaper Surgical Tray GS	22
68011140	OmniTaper EV Ø3.0 x 11mm	5	68015104	OmniTaper Tap Ø3.0	10
68011141	OmniTaper EV Ø3.0 x 13mm	5	68017014	OmniTaper Tap Ø3.0 GS	20
68011142	OmniTaper EV Ø3.0 x 15mm	5	68015105	OmniTaper Tap Ø3.4	10
68011143	OmniTaper EV Ø3.4 x 9.5mm	5	68017015	OmniTaper Tap Ø3.4 GS	20
68011144	OmniTaper EV Ø3.4 x 11mm	5	68015106	OmniTaper Tap Ø3.8	
68011145	OmniTaper EV Ø3.4 x 13mm	5	68017016	OmniTaper Tap Ø3.8 GS	20
68011146	OmniTaper EV Ø3.4 x 15mm	5	68015107	OmniTaper Tap Ø4.5	10
68011147	OmniTaper EV Ø3.4 x 18mm	5	68017017	OmniTaper Tap Ø4.5 GS	20
68011148	OmniTaper EV Ø3.8 x 8mm	5	68015108	OmniTaper Tap Ø5.5	10
68011149	OmniTaper EV Ø3.8 x 9.5mm	5	68015237	OmniTaper Try-in Implant Ø3.0	12
68011150	OmniTaper EV Ø3.8 x 11mm	5	68015238	OmniTaper Try-in Implant Ø3.4	
68011151	OmniTaper EV Ø3.8 x 13mm	5	68015239	OmniTaper Try-in Implant Ø3.8	12
68011152	OmniTaper EV Ø3.8 x 15mm		68015240	OmniTaper Try-in Implant Ø4.5	
68011153	OmniTaper EV Ø3.8 x 18mm	5	68015241	OmniTaper Try-in Implant Ø5.5	12
68011154	OmniTaper EV Ø4.5 x 8mm		68015271	OmniTaper Washtray	
68011155	OmniTaper EV Ø4.5 x 9.5mm		68015354	OmniTaper Washtray GS	24
68011156	OmniTaper EV Ø4.5 x 11mm	5	68015272	OmniTaper Washtray Overlay	16
68011157	OmniTaper EV Ø4.5 x 13mm		68015355	OmniTaper Washtray Overlay GS	
68011158	OmniTaper EV Ø4.5 x 15mm	5	68015134	Precision Drill	ç
68011159	OmniTaper EV Ø4.5 x 18mm		68010014	TempBase Cap (L)	
68011160	OmniTaper EV Ø5.5 x 8mm		68010015	TempBase Cap (XL)	
68011161	OmniTaper EV Ø5.5 x 9.5mm		68010013	TempBase Cap (XS)-(M)	
68011162	OmniTaper EV Ø5.5 x 11mm		25774	Torque Wrench EV	
68011163	OmniTaper EV Ø5.5 x 13mm		25776	Torque Wrench EV Rest. Driver Handle	
68011164	OmniTaper EV Ø5.5 x 15mm		25775	Torque Wrench EV Surgical Driver Handle	
68017036	OmniTaper Implant Driver TempBase ND long GS.		25777	Torque Wrench EV Rest. Driver Handle Low	
68017034	OmniTaper Implant Driver TempBase ND short GS		68015266	Washtray Sterilization Container	
68017037	OmniTaper Implant Driver TempBase WD long GS		68015267	Washtray Sterilization Container Filter 2x	

Notes	

Notes	